

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.05.2023

Version number 8.1 (replaces version 8.0)

Revision: 23.05.2023

<b>SECT</b>	ION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Prod	luct identifier
• <b>1.2 Rele</b> No furth	ame: <u>546 Eurofix Tackifier</u> want identified uses of the substance or mixture and uses advised against her relevant information available. tion of the substance / the mixture Fixation
• <b>Manufa</b> Forbo E	
Fax: +4 E-Mail:	9 361 730 41 0 9 (0)361 73041-92 Elisabeth.Reinhardt@forbo.com vbo-eurocol.de
Laborat Elisabet Elisabet • <b>1.4 Eme</b> Poison Thuring	h Reinhardt h.Reinhardt@forbo.com p <b>rgency telephone number:</b> information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and
	ION 2: Hazards identification
· Classific	ssification of the substance or mixture cation according to Regulation (EC) No 1272/2008 duct is not classified, according to the GB CLP regulation.
<ul> <li>Labellin</li> <li>Hazard</li> <li>Signal w</li> <li>Hazard</li> <li>Precaut</li> <li>P280 w</li> <li>Addition</li> <li>EUH 20</li> <li>[EC no.</li> <li>reaction</li> <li>2.3 Other</li> </ul>	er hazards
	of PBT and vPvB assessment ot applicable.

• **vPvB:** Not applicable.

(Contd. on page 2)

GB

Printing date 23.05.2023

*Version number 8.1 (replaces version 8.0)* 

Revision: 23.05.2023

Trade name: 546 Eurofix Tackifier

(Contd. of page 1)

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≥0-<0.05%
EINECS: 220-120-9	Acute Tox. 2, H330; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	
CAS: 55965-84-9	Reaction mass of: 5-chloro-2-methyl-4-	≥0.00025-<0.0015%
Keg.nr.: 01-2120/64691-48-XXX	isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 ( $M$ =100); Aquatic Chronic 1, H410 ( $M$ =100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C $\geq$ 0.6 % Skin Irrit. 2; H315: 0.06 % $\leq$ C $<$ 0.6 % Eye Dam. 1; H318: C $\geq$ 0.6 % Eye Irrit. 2; H319: 0.06 % $\leq$ C $<$ 0.6 % Skin Sens. 1A; H317: C $\geq$ 0.0015 %	
Regulation (EC) No 648/2004 on a	letergents / Labelling for contents	

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

• After skin contact:

*After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.* 

- *After eye contact: Rinse opened eye for several minutes under running water.*
- · After swallowing:
- Do not induce vomiting. Rinse out mouth and drink plenty of water. Consult a doctor if symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.

Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

(Contd. on page 3)

GB

*Printing date 23.05.2023* 

*Version number 8.1 (replaces version 8.0)* 

Revision: 23.05.2023

Trade name: 546 Eurofix Tackifier

- 5.2 Special hazards arising from the substance or mixture
- In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO2
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. **6.3 Methods and material for containment and cleaning up:**
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Recommended storage temperature: 5-30°C
- Storage class (TRGS): 12
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 4)

(Contd. of page 2)

<sup>· 8.1</sup> Control parameters

Printing date 23.05.2023

Version number 8.1 (replaces version 8.0)

Revision: 23.05.2023

#### Trade name: 546 Eurofix Tackifier

(Contd. of page 3)

#### application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection

Tightly sealed goggles

# SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties General Information

General Information	
· Physical state	Fluid
· Colour:	White
· Odour:	Nearly odourless
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water, distilled, conductivity or of
0	similar purity)
· Flammability	Not applicable.
· Lower and upper explosion limit	11
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7
Viscosity:	
Kinematic viscosity	Not determined.
Viscosity at 100°C:	
Dynamic at 20 °C:	7,000 mPas
- Solubility	
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	$1.2 \text{ g/cm}^3$
Relative density	Not determined.
Density (@15°C)	Not determined.
· Vapour density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Viscous
Important information on protection of health an	
environment, and on safety.	••
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
Solvent content:	······
VOC (EC)	0.00 %
Change in condition	
• Evaporation rate	Not determined.
1	
	(Contd. on page 5)

Printing date 23.05.2023

Version number 8.1 (replaces version 8.0)

Revision: 23.05.2023

Trade name: 546 Eurofix Tackifier

		(Contd. of page 4
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	66 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	
Dermal	LD50	>141 mg/kg (rat)
	Acute toxicity estimates	200 mg/kg
Inhalative	LC50 (4h)	200 mg/kg 0.17 mg/l (rat)
	Acute toxicity Estimate inhalative (4h)	0.31 mg/l

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

 $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 23.05.2023

*Version number 8.1 (replaces version 8.0)* 

Revision: 23.05.2023

(Contd. of page 5)

Trade name: 546 Eurofix Tackifier

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

•	<i>12.1</i>	<b>Toxicity</b>
---	-------------	-----------------

• Aquatic toxicity:			
2634-33-5 1,2-benzisothiazol-3(2H)-one			
LC50 (96h) mg/lt	r. 1.6-2.18 mg/ltr (rainbow tro	ut) (OECD 203)	
EC50 (48h)	2.94-3.27 mg/l (Daphnia ma	2.94-3.27 mg/l (Daphnia magna) (OECD 202)	
EC50 (72h)	0.11 mg/l (Scenedesmus qua	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)	
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
EC10 (72h)	0.04 mg/ltr. (Scenedesmus q	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)	
NOEC	0.21 mg/l (rainbow trout) (OECD 215)		
· 12.2 Persistence and degradability			
3811-73-2 pyridine-2-thiol 1-oxide, sodium salt 60 %			
· 12.3 Bioaccumulative potential			
1310-73-2 sodiu	n hydroxide	-3,88	

3811-73-2 pyridine-2-thiol 1-oxide, sodium salt -2,38

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

• Recommendation: Disposal must be made according to official regulations.

• *Recommended cleansing agents: Water, if necessary together with cleansing agents.* 

# **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA

not regulated

(Contd. on page 7)

GB -

<sup>•</sup> Uncleaned packaging:

Printing date 23.05.2023

Version number 8.1 (replaces version 8.0)

Revision: 23.05.2023

Trade name: 546 Eurofix Tackifier

		(Contd. of page 6)
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
· UN "Model Regulation":	not regulated	

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· VOC (EU) 0.0 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)

Printing date 23.05.2023

Version number 8.1 (replaces version 8.0)

Revision: 23.05.2023

#### Trade name: 546 Eurofix Tackifier

	(Contd. of page 7)
H411 Toxic to aquatic life with long lasting effects.	
Department issuing SDS: Quality Management department	
Contact:	
Laboratory	
Elisabeth Reinhardt	
Elisabeth.Reinhardt@forbo.com	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (Europ International Carriage of Dangerous Goods by Road)	pean Agreement Concerning the
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINECS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Corr. 1C. Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	