# eurocol

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 06.05.2025

Version number 7.2 (replaces version 7.1)

#### / 1 / 1 ·

Revision: 06.05.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 523 Eurostar Tack EC
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt GERMANY

Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92

E-Mail: Elisabeth.Reinhardt@forbo.com

www.forbo-eurocol.de

· Further information obtainable from:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· 1.4 Emergency telephone number:

Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia:

+49-361-730730

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH 208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

ΕU

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 1)

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 119345-04-9	b e n z e n e , 1 , 1 ' - o x y b i s - tetrapropylenederivatives,sulfonated Repr. 2, H361fd; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312	≥0.25-<1%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one  Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50 (4h) inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317:C ≥ 0.036 %	≥0-<0.025%
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-XXXX	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071  Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6\%$ Skin Irrit. 2; H315: $0.06\% \le C < 0.6\%$ Eye Dam. 1; H318: $C \ge 0.6\%$ Eye Irrit. 2; H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1A; H317: $C \ge 0.0015\%$	≥0.00025-<0.0013

#### · Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (BENZISOTHIAZOLINONE, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), METHYLISOTHIAZOLINONE)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After skin contact:

After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

  (Contd. on page 3)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

5.2 Special hazards arising from the substance or mixture

In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO2

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Recommended storage temperature: 10-30°C
- · Storage class (TRGS): 12
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 3)

· DNELs		
55965-84-	9 Reaction mass of: 5-chloro-2-methyl-4- 2H-isothiazol-3-one [EC no. 220-239-6]	isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-(3:1)
Oral	DNEL Long-term - oral, systemic effects	0.09 mg/kg_bw/day (general public)
	DNEL Acute - oral, systemic effects	0.11 mg/kg bw/day (general public)
Inhalative	DNEL long-term - inhalation local effects	0.02 mg/m³ (Worker)
		$0.02 \text{ mg/m}^3$ (general public)
	DNEL Acute - inhalation, local effects	0.04 mg/m³ (Worker)
		0.04 mg/m³ (general public)

#### · PNECs

# 55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

PNEC short term, sea water	$0.00339 \ mg/l$
PNEC short term, sewage plant	0.23 mg/l
PNEC short term fresh water sediment	0.027 mg/kg
PNEC short term soil	0.027 mg/kg
PNEC short term, intermittent releases	0.00339 mg/l

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state Liquid

(Contd. on page 5)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

	(Contd. of pag
Colour:	Grey
Odour:	Nearly odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7.5
Viscosity:	7.0
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	40,000 mPas
•	70,000 III us
Solubility	Eully missible
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	1.2 / 2
Density at 20 °C:	$1.2 \text{ g/cm}^3$
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health and	· · · · · · · · · · · · · · · · · · ·
environment, and on safety.	••
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	1 Toutiet does not present an expression nazara.
VOC (EC)	$0.0~\mathrm{g/l}$
· ·	0.0 g/i
Change in condition Evaporation rate	Not determined.
Evaporation rate	
Information with regard to physical hazard classe	es .
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	, ow
gases in contact with water	Void
	Void Void
Oxidising liquids	void Void
Oxidising solids Organic peroxides	
Organic peroxiaes	Void

(Contd. on page 6)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 5)

· Corrosive to metals	Void
Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Based on available data, the classification criteria are not met.

2634-33-5	1,2-benziso	othiazol-3(2H)-one	
Oral	Acute Toxi	city Estimate of ingredient (ATE) oral	490 mg/kg
55965-84-		mass of: 5-chloro-2-methyl-4-isothia azol-3-one [EC no. 220-239-6] (3:1)	zolin-3-one [EC no. 247-500-7] and 2-methyl-
Oral	Acute Toxi	city Estimate of ingredient (ATE) oral	100 mg/kg
Inhalative	Acute toxic	ity Estimate inhalative (4h)	0.31  mg/l
	Acute toxicity estimates		200 mg/kg
· LD/LC50	values relev	ant for classification:	
119345-04	-9 benzene,	1,1'-oxybis-tetrapropylenederivatives	sulfonated
Oral	LD50	2,000 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
2634-33-5	1,2-benziso	thiazol-3(2H)-one	
Oral	LD50	450 mg/kg (ATE)	
		532 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC50 (4h)	0.21 mg/l (ATE)	
55965-84-		mass of: 5-chloro-2-methyl-4-isothia azol-3-one [EC no. 220-239-6] (3:1)	zolin-3-one [EC no. 247-500-7] and 2-methyl-
Oral	LD50	66 mg/kg (rat)	
Dermal	LD50	>141 mg/kg (rat)	
Inhalative	LC50 (4h)	0.17 mg/l (rat)	
· Primary ir	ritant offoc	<b>f•</b>	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 6)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

• Other information No further relevant information available.

# SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
2634-33-5 1,2-benz	zisothiazol-3(2H)-one
LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)
EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)
	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)
NOEC	0.21 mg/l (rainbow trout) (OECD 215)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 7)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN		
14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
UN "Model Regulation":	not regulated	

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · VOC (EU) 0.00 %
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- El

Printing date 06.05.2025 *Version number 7.2 (replaces version 7.1)* Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 8)

#### SECTION 16: Other information

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

Fatal in contact with skin. H310

H312 Harmful in contact with skin.

Causes severe skin burns and eye damage. H314

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### · Department issuing SDS: Quality Management department

#### · Contact:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· Version number of previous version: 7.1

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

(Contd. on page 10)

Printing date 06.05.2025 Version number 7.2 (replaces version 7.1) Revision: 06.05.2025

Trade name: 523 Eurostar Tack EC

(Contd. of page 9)

Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

EI