

# ACCESSIBILITY ACCESSORIES DATA SHEET

### **TACTILE TILES AND STRIPS**


### **IMPORTANT**


### **Self-adhesive tactiles tiles**

The vigilance alert strip or tactile tile is positioned before a risk zone (stairs, empty) to alert anyone of the danger of falling. Its 3D geometry allows the detection of danger by the foot. It is fixed mechanically.

- · Quick and easy installation: adhesive
- Remarkable resistance to abrasion and heavy traffic
- No breakage or premature wear : high quality material
- Prevention reinforced by better visual contrast to the ground (choice of colors)
- Complaint with the standard NF P98-352
- Anti-slip







### Self-adhesive tactile strips

Tactile plank help improve circulation by allowing users to navigate with their white cane though vast spaces and find their way to reception to the exits.

- Quick and easy installation : adhesive
- Remarkable resistance to abrasion and heavy traffic
- No breakage or premature wear: high quality material
- Prevention reinforced by better visual contrast to the ground (choice of colors)
- Complaint with the standard NF P98-352
- Anti-slip

# Box of 15 strips of 1010 mm x 225 mm







# ACCESSIBILITY ACCESSORIES DATA SHEET

# Stud to be glued or to be slot

The studs are positioned before and parallel to a risk zone (stairs, empty space, dangerous crossing) to alert anyone approaching of the danger of falling. Their 3D geometry allows the detection of danger by the foot.

- Resistance to intensive use
- Exceptional strength thanks to the anchoring in the ground
- Prevention reinforced by better visual contrast with the ground (wide choice of colors)
- Easy installation (template provided)
- Compliant with the NF P98-351 standard

# Kit of 200 studs including installation template





PROFILES IMPORTANT

# Stairnosing to install before and after floorcovering

Phosphorescent PVC step nose with structured support surface to be implemented before (\*\*\*\*TF) or after (\*\*\*\*TJ) the flooring is laid.

# Box of 10 lengths of 2,5 m namely 25 m/box

