# eurocol

Page 1/9

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: 049 Europrimer ABS
- · Article number: 049
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- · Application of the substance / preparation Primer
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271600 - Fax +31 75 6283564 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

· 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- Additional information:

Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Primer based on acrylate copolymer dispersion.

(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

Trade name: 049 Europrimer ABS

(Contd. of page 1)

	components:	10/
55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<1%
	♦ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♦ Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % $\le C < 0.6$ %	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
68439-49-6	Alcohols, C16-18, ethoxylated, >20 EO	>1-5%
	🚸 Acute Tox. 4, H302; Eye Irrit. 2, H319	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Wash with soap and water. Remove contaminated clothing.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a physician.

- After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures *Particular danger of slipping on leaked/spilled product.*
- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety data sheet according to 1907/2006/EC, Article 31

Vers

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

Trade name: 049 Europrimer ABS

(Contd. of page 2)

No dangerous substances are released. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

·7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool, but frost-proof location.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Recommended storage temperature between 15 and 25 °C.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	DNEL	0.09 mg/kg (Consumer)
Inhalative	DNEL Inademing langdurig	0.02 /mg/m³ (Consumer)

#### - PNECs

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1)

PNEC mg/kg 0.01 mg/kg (Soil)

0.027 mg/kg (Sea Water Sediment)

0.027 mg/kg (Fresh Water Sediment)

· Additional information: The lists valid during manufacture were used as basis.

#### · 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

• Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. (Contd. on page 4)

GB

according to 1907/2006/EC, Article 31

*Printing date 26.09.2022* 

Version number 5

Revision: 26.09.2022

## Trade name: 049 Europrimer ABS

(Contd. of page 3)

### · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation. • Material of gloves

Suitable chemical-resistant gloves (EN 374) even with longer direct contact (recommendation: protection index 6, corresponding> 480 minutes permeation time (permeation) according to EN 374) e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and others. Due to several factors that can influence (e.g. temperature), it must be taken into account that the service life of a chemical glove can in practice be considerably shorter than the permeation time indicated by the test.

• Penetration time of glove material > 480 Minutes.

• For prolonged contact gloves made of the following materials are suitable: Chloroprene and butylrubber. Nitrile rubber

· Eye/face protection Tightly sealed goggles by risk of splashing.

## **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical properties				
	Light blue			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· Melting point/freezing point:	Undetermined.			
· Boiling point or initial boiling point and boiling	endetermined.			
range	100 °C			
Flammability	Not applicable.			
· Lower and upper explosion limit				
· Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable.			
- Auto-ignition temperature:	Product is not self-igniting.			
Decomposition temperature:	Not determined.			
pH at 20 ℃	8.5			
· Viscosity:				
Kinematic viscosity	Not determined.			
Dynamic at 20 ℃:	60 mPas			
Solubility				
water:	Fully miscible.			
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	Not determined.			
Vapour pressure at 20 °C:	23 hPa			
Density and/or relative density				
Density at 20 °C:	1.01 g/cm <sup>3</sup>			
· Relative density	Not determined.			
· Vapour density	Not determined.			
	(Contd. on page 5)			

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

## Trade name: 049 Europrimer ABS

	(Contd. of page
9.2 Other information	
· Appearance:	
Form:	Fluid
<ul> <li>Important information on protection of health</li> </ul>	h and
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.0 %
VOC(EC%)	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical ha	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Öxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

Trade name: 049 Europrimer ABS

(Contd. of page 5)

· LD/LC50 values relevant for classification:

68439-49-6 Alcohols, C16-18, ethoxylated, >20 EO

Oral LD50 2,000 mg/kg (rat)

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1)

Oral LD50 64-66 mg/kg (rat)

Dermal LD50 87.12 mg/kg (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information
------------------------------------

· 12.1 Toxicity

· Aquatic toxicity:

68439-49-6 Alcohols, C16-18, ethoxylated, >20 EO

LC50/96h 1-10 mg/l (fish)

EC50 1-10 mg/l (daphnia)

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/96h 0.28 mg/l (LM) 0.188 mg/l (OM)

EC50/48 h 0.126 mg/l (DM)

• **12.2 Persistence and degradability** *No further relevant information available.* 

•12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

**vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

GR

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

## Trade name: 049 Europrimer ABS

(Contd. of page 6)

#### · 12.7 Other adverse effects

· Additional ecological information:

- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Warm water, if necessary together with cleansing agents.

## SECTION 14: Transport information

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
· Transport/Additional information:	Not classified as hazardous under transport regulations.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

## Trade name: 049 Europrimer ABS

(Contd. of page 7)

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

#### · Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Department issuing SDS: R&D department

Contact: Ing. T.W. Breeuwer

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1A: Skin sensitisation - Category 1A

(Contd. on page 9)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version number 5

Revision: 26.09.2022

Trade name: 049 Europrimer ABS

(Contd. of page 8)

GB

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* Data compared to the previous version altered.