eurocol

Page 1/6

Safety data sheet according to UK REACH

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name: 680 Elastilight Article number: 680 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / preparation Tile adhesive

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271620 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

[•] 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- [•] 2.3 Other hazards
- [•] Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Tile adhesive based on styrene acrylate and fillers
- · Dangerous components: Void

(Contd. on page 2)

GB -

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

Trade name: 680 Elastilight

(Contd. of page 1)

Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact: Wash with water and soap.
- [·] After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a physician.
- · After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- [•] Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Collect product in waste container. Rinse floor with water.
- 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Information about fire and explosion protection: No special measures required.
- ·7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, but frost-proof location.
- · Information about storage in one common storage facility: Not required.
- [.] Further information about storage conditions:

Recommended storage temperature between 15 and 25°C.

(Contd. on page 3)

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

Trade name: 680 Elastilight

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during manufacture were used as basis.
- [•] 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Avoid contact with the eyes and skin. Immediately remove all soiled and contaminated clothing
- Respiratory protection: Not required.
- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation. **Material of gloves**

Suitable chemical-resistant gloves (EN 374) even with longer direct contact (recommendation: protection index 6, corresponding> 480 minutes permeation time (permeation) according to EN 374) e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and others. Due to several factors that can influence (e.g. temperature), it must be taken into account that the service life of a chemical glove can in practice be considerably shorter than the permeation time indicated by the test.

The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material > 480 Minutes.
- For prolonged contact gloves made of the following materials are suitable: Chloroprene and butylrubber.
- Nitrile rubber
- Eye protection: Goggles recommended during refilling

 9.1 Information on basic physic General Information 	sical and chemical properties	
[·] Appearance:		
Form:	Paste	
Colour:	Light grey	
· Odour:	Weak, characteristic	
[·] Odour threshold:	Not determined.	
[·] pH-value at 20 °C:	8.5	

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

Trade name: 680 Elastilight

		(Contd. of page 3)
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. 100 °C	
· Flash point:	Not applicable.	
· Flammability	Not applicable.	
Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.15 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not determined.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC(EC%)	0.00 %	
[•] 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · **10.1 Reactivity** *No further relevant information available.*
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- [•] Primary irritant effect:
- · Skin corrosion/irritation Possible irritation with prolonged or frequent contact.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

Trade name: 680 Elastilight

(Contd. of page 4)

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- [·] 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** *No further relevant information available.*
- Additional ecological information:
- · General notes:

Do not discharge rinse water arising from cleaning tools into sewers or surface water. Avoid transfer into the environment.

- ^{12.5} Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
[·] 14.5 Environmental hazards:	Not applicable.	
[·] 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.	
		(Contd. on page 6

Printing date 25.04.2025

Version number 6

Revision: 25.04.2025

(Contd. of page 5)

Trade name: 680 Elastilight

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

7631-99-4 sodium nitrate, containing in the dry statemore than 16,3 per cent by weight of Listed nitrogen

⁻ Reportable poisons

1310-73-2 sodium hydroxide

12% of total caustic alkalinity

[·] Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: R&D department
- · Contact: Ing. T.W. Breeuwer

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 * Data compared to the previous version altered.