# eurocol

Page 1/7

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2020

Version number 4

Revision: 08.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

### Trade name: 692 Jointing Cement

- · Article number: 692
- · **UFI:** *8EW1-U01F-K00D-EY1C*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- · Application of the substance / preparation Sealing mortar
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271600 - Fax +31 75 6283564 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

· 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)30-2748888. (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- *Eye Dam.* 1 H318 *Causes serious eye damage.*
- Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### · 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Portland cement clinker

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 08.12.2020

Llanavel atotamante

Version number 4

Revision: 08.12.2020

### Trade name: 692 Jointing Cement

(Contd. of page 1)

<ul> <li>Hazard statem</li> </ul>	ents
H315 Causes s	kin irritation.
H318 Causes s	erious eye damage.
H317 May caus	se an allergic skin reaction.
H335 May caus	se respiratory irritation.
Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P404	Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other haza	rds
· Results of PB	Γ and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of cement, fillers and additives.

· Dangerous components:

CAS: 65997-15-1 Portland cement clinker

EINECS: 266-043-4 🚸 Eye Dam. 1, H318; 0 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335

>25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side/recovery position for transportation. · After skin contact:

- Immediately remove contaminated clothing, wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Information for doctor: Product reacts with moisture into alkaline mixture.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 08.12.2020

### Version number 4

Revision: 08.12.2020

### Trade name: 692 Jointing Cement

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents: Not applicable.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

• Additional information Product itself does not burn.

### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust. Avoid contact with eyes and skin.

- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically, dry vacuum powder.
- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure sufficient ventilation and avoid formation of dust. Do not inhale dust. Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Store in cool, dry conditions in well sealed packaging.

•7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

### 65997-15-1 Portland cement clinker

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

• Additional information: The lists valid during manufacture were used as basis.

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2020

Version number 4

Revision: 08.12.2020

Trade name: 692 Jointing Cement

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Do not inhale dust.

· Respiratory protection:

Use suitable respiratory protective device (filter P2) in case of insufficient ventilation. Protection of hands:

· Protection of nands



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation.

· Material of gloves

Use chemical resistant gloves classified under EN374. Examples of preferred glove materials that form a barrier: butyl rubber or chloroprene rubber. If prolonged or repeated contact can occur, gloves with a protection class of 6 (breakthrough time greater than 480 minutes) are recommended according to EN 374. Ask your glove supplier to advise you on the right type and thickness.

- Penetration time of glove material ≥ 480 Minutes
- For prolonged contact gloves made of the following materials are suitable: Chloroprene and butylrubber.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9.1 Information on basic physical a	nd chemical properties	
General Information		
Appearance:		
Form:	Powder	
Colour:	Grey	
Odour:	Characteristic	
pH-value (4000 g/l) at 20 ℃:	>11	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: Undetermined.	
Flash point:	Not applicable.	
Auto-ignition temperature:	Product is not self-igniting.	

## Safety data sheet according to 1907/2006/EC. Article 31

Printing date 08.12.2020

Version number 4

Revision: 08.12.2020

### Trade name: 692 Jointing Cement

		(Contd. of page 4
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.3 g/cm³	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Slightly soluble.	
<ul> <li>Solvent content: Organic solvents:</li> </ul>	0.0 %	
9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- ·11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

Product can cause irritation on the longer term dermatitis. This impact is caused by alcality of the product in water and on mechanical damage of the skin.

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

*Printing date 08.12.2020* 

Version number 4

Revision: 08.12.2020

### Trade name: 692 Jointing Cement

(Contd. of page 5)

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Warm water, if necessary together with cleansing agents.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
	Vold	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 08.12.2020

Version number 4

Revision: 08.12.2020

### Trade name: 692 Jointing Cement

(Contd. of page 6)

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

#### · Department issuing SDS: R&D department

Contact: Ing. T.W. Breeuwer

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

•\* Data compared to the previous version altered.

GB -