euroco

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: 960 Europlan Super (dr)
- · Article number: 9603
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / preparation Self-levelling compound
- 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271600 - Fax +31 75 6283564 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

· 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)30-2748888. (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- Eye Dam. 1 H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: Portland cement clinker

(Contd. on page 2) GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.10.2019

- -

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

(Contd. of page 1)

 Hazard stateme 	ents
H315 Causes sl	kin irritation.
H318 Causes se	erious eye damage.
H317 May cause	e an allergic skin reaction.
H335 May cause	e respiratory irritation.
Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazar	rds

Results of PBT and vPvB assessment

· PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description: Mixture of cement, fillers and additives.

Dangerous components:					
CAS: 65997-16-2	Calcium aluminate clinker	>10-25%			
EINECS: 266-043-4	Portland cement clinker	>1-5%			
 Additional information: For the wording of the listed hazard phrases refer to section 16. 					

SECTION 4: First aid measures

4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side/recovery position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

- · Information for doctor: Product reacts with moisture into alkaline mixture.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Not applicable.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

• Additional information Product itself does not burn.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust. Avoid contact with eyes and skin.

. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Pick up mechanically, dry vacuum powder.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

·7.1 Precautions for safe handling

Ensure sufficient ventilation and avoid formation of dust. Do not inhale dust. Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Store in cool, dry conditions in well sealed packaging.

•7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Portland cement clinker

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

Additional information: The lists valid during manufacture were used as basis.

(Contd. on page 4)

GB -

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

(Contd. of page 3)

- 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale dust.

· Respiratory protection:

Use suitable respiratory protective device (filter P2) in case of insufficient ventilation. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation.

Material of gloves

Use chemical resistant gloves classified under EN374. Examples of preferred glove materials that form a barrier: butyl rubber or chloroprene rubber. If prolonged or repeated contact can occur, gloves with a protection class of 6 (breakthrough time greater than 480 minutes) are recommended according to EN 374. Ask your glove supplier to advise you on the right type and thickness.

Penetration time of glove material

≥ 480 Minutes

The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.

- · For prolonged contact gloves made of the following materials are suitable:
- Chloroprene and butylrubber.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

 9.1 Information on basic physical and chemical properties General Information Appearance: 		
Form:	Powder	
Colour:	Grey	
Odour:	Weak	
pH-value (4000 g/l) at 20 ℃:	>11	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	ange: Undetermined.	

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

		(Contd. of page 4)
· Flash point:	Not applicable.	
- Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	osive properties: Product does not present an explosion hazard.	
· Density at 20 °C:	1.3 g/cm³	
 Solubility in / Miscibility with water: 	Slightly soluble.	
 Solvent content: Organic solvents: 9.2 Other information 	0.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation

Product can cause irritation on the longer term dermatitis. This impact is caused by alcality of the product in water and on mechanical damage of the skin.

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

coruing to 1907/2000/EC, Art

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Warm water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Anne Marpol and the IBC Code 	ex II of Not applicable.	
		(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.10.2019

Version number 3

Revision: 04.10.2019

Trade name: 960 Europlan Super (dr)

(Contd. of page 6)

· UN "Model Regulation":

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

- · National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Department issuing SDS: R&D department

Contact: Ing. T.W. Breeuwer

Abbreviations and acronyms:
 Big: Bagament international concernant lot

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

•* Data compared to the previous version altered.

GB -