

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **051 Europrimer Quartz**

· Article number: 051

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*

· **Application of the substance / preparation** *Primer*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

*Forbo Eurocol Nederland B.V.*

*Industrieweg 1-2*

*NL-1521 NA Wormerveer Holland*

*Tel. +31 75 6271600 - Fax +31 75 6283564*

*E-mail address: info.eurocol@forbo.com*

*Website: www.eurocol.com*

· **1.4 Emergency telephone number:**

*In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).*

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

*The product is not classified, according to the GB CLP regulation.*

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** *Void*

· **Hazard pictograms** *Void*

· **Signal word** *Void*

· **Hazard statements** *Void*

· **Additional information:**

*Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** *Primer based on acrylate copolymer dispersion.*

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 1)

**Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one <span style="color: red;">◆</span> Acute Tox. 2, H330; <span style="color: red;">◆</span> Eye Dam. 1, H318; <span style="color: red;">◆</span> Aquatic Acute 1, H400; Aquatic Chronic 1, H410; <span style="color: red;">◆</span> Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<1%
CAS: 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) <span style="color: red;">◆</span> Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; <span style="color: red;">◆</span> Skin Corr. 1C, H314; Eye Dam. 1, H318; <span style="color: red;">◆</span> Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); <span style="color: red;">◆</span> Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Wash with soap and water. Remove contaminated clothing.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a physician.
- **After swallowing:** Rinse mouth with water and then drink plenty of water, consult physician immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

· **6.2 Environmental precautions:** Dilute with plenty of water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose of the material collected according to regulations.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 2)

**6.4 Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Information about fire - and explosion protection:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *Store in a cool, but frost-proof location.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**  
*Recommended storage temperature between 15 and 25 °C.*
- **7.3 Specific end use(s)** *No further relevant information available.*

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*

· **DNELs****2634-33-5 1,2-benzisothiazol-3(2H)-one**

Dermal	DNEL long term	0.966 mg/kg KG/d (wrk)
	DNEL short term systemic health problems	0.345 mg/kg/d (Consumer)
Inhalative	DNEL Inhalative long terme	1.2 /mg/m <sup>3</sup> (Consumer)
	DNEL	6.81 mg/m <sup>3</sup> (wrk)

**55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

Oral	DNEL	0.09 mg/kg (Consumer)
Inhalative	DNEL Inhalative long terme	0.02 /mg/m <sup>3</sup> (Consumer)

· **PNECs****2634-33-5 1,2-benzisothiazol-3(2H)-one**

PNEC	4.99 µg/kg (Sea Water Sediment)
	49.9 µg/kg (Fresh Water Sediment)
PNEC ug/l	0.403 µg/l (Sea Water)
	4.03 µg/l (Fresh Water)
PNEC mg/kg	3 mg/kg (Soil)

**55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

PNEC mg/kg	0.01 mg/kg (Soil)
	0.027 mg/kg (Sea Water Sediment)

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 3)

0.027 mg/kg (Fresh Water Sediment)

- **Additional information:** *The lists valid during manufacture were used as basis.*
- **8.2 Exposure controls**
- **Appropriate engineering controls** *No further data; see item 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
*The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.*
- **Respiratory protection:** *Use suitable respiratory protective device only when aerosol or mist is formed.*
- **Hand protection**



*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material is dependant on the penetration times, rates of diffusion and degradation.*

- **Material of gloves**

*Suitable chemical-resistant gloves (EN 374) even with longer direct contact (recommendation: protection index 6, corresponding > 480 minutes permeation time (permeation) according to EN 374) e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and others. Due to several factors that can influence (e.g. temperature), it must be taken into account that the service life of a chemical glove can in practice be considerably shorter than the permeation time indicated by the test.*

*The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

- **Penetration time of glove material**

*> 480 Minutes.*

*The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.*

- **For prolonged contact gloves made of the following materials are suitable:**

*Chloroprene and butylrubber.*

*Nitrile rubber*

- **Eye/face protection** *Tightly sealed goggles by risk of splashing.*

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- |   |                        |
|---|------------------------|
| · <b>Physical state</b>   | <i>Fluid</i>           |
| · <b>Colour:</b>  | <i>Rose-red</i>        |
| · <b>Odour:</b>   | <i>Characteristic</i>  |
| · <b>Odour threshold:</b>   | <i>Not determined.</i> |
| · <b>Melting point/freezing point:</b>                            | <i>Undetermined.</i>   |
| · <b>Boiling point or initial boiling point and boiling range</b> | <i>100 °C</i>          |
| · <b>Flammability</b>   | <i>Not applicable.</i> |
| · <b>Lower and upper explosion limit</b>                          |                        |
| · <b>Lower:</b>   | <i>Not determined.</i> |

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 4)

· Upper:	<i>Not determined.</i>
· Flash point:	<i>Not applicable.</i>
· Decomposition temperature:	<i>Not determined.</i>
· pH at 20 °C	<i>8.5</i>
· Viscosity:	
· Kinematic viscosity	<i>Not determined.</i>
· Dynamic:	<i>Not determined.</i>
· Solubility	
· water:	<i>Fully miscible.</i>
· Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
· Vapour pressure at 20 °C:	<i>23 hPa</i>
· Density and/or relative density	
· Density at 20 °C:	<i>1.36 g/cm<sup>3</sup></i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>

**9.2 Other information**

· Appearance:	
· Form:	<i>Fluid</i>
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	<i>Product is not self-igniting.</i>
· Explosive properties:	<i>Product does not present an explosion hazard.</i>
· Solvent content:	
· VOC(EC%)	<i>0.0 %</i>
· Change in condition	
· Evaporation rate	<i>Not determined.</i>

**Information with regard to physical hazard classes**

· Explosives	<i>Void</i>
· Flammable gases	<i>Void</i>
· Aerosols	<i>Void</i>
· Oxidising gases	<i>Void</i>
· Gases under pressure	<i>Void</i>
· Flammable liquids	<i>Void</i>
· Flammable solids	<i>Void</i>
· Self-reactive substances and mixtures	<i>Void</i>
· Pyrophoric liquids	<i>Void</i>
· Pyrophoric solids	<i>Void</i>
· Self-heating substances and mixtures	<i>Void</i>
· Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
· Oxidising liquids	<i>Void</i>
· Oxidising solids	<i>Void</i>
· Organic peroxides	<i>Void</i>
· Corrosive to metals	<i>Void</i>
· Desensitised explosives	<i>Void</i>

GB

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

**55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

Oral	LD50	64-66 mg/kg (rat)
Dermal	LD50	87.12 mg/kg (rat)

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

*None of the ingredients is listed.*

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

LC50/96h	0.28 mg/l (LM)
	0.188 mg/l (OM)
EC50/48 h	0.126 mg/l (DM)

- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Endocrine disrupting properties**  
*The product does not contain substances with endocrine disrupting properties.*
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
*Not hazardous for water.*

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 6)

*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agents:** *Warm water, if necessary together with cleansing agents.*

### SECTION 14: Transport information

- |   |   |
|---|---|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                       | <i>Void</i>   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | <i>Void</i>   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | <i>Void</i>   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | <i>Void</i>   |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | <i>No</i>   |
| · <b>14.6 Special precautions for user</b>  | <i>Not applicable.</i>  |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>                       | <i>Not applicable.</i>  |
| · <b>Transport/Additional information:</b>  | <i>Not classified as hazardous under transport regulations.</i> |
| · <b>UN "Model Regulation":</b>   | <i>Void</i>   |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **National regulations:**
- **Waterhazard class:** *Generally not hazardous for water.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

GB

(Contd. on page 8)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 24.11.2022

Version number 4

Revision: 24.11.2022

Trade name: **051 Europrimer Quartz**

(Contd. of page 7)

#### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H310 Fatal in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H330 Fatal if inhaled.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** R&D department

· **Contact:** Ing. T.W. Breeuwer

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 DNEL: Derived No-Effect Level (UK REACH)  
 PNEC: Predicted No-Effect Concentration (UK REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Acute Tox. 3: Acute toxicity – Category 3  
 Acute Tox. 4: Acute toxicity – Category 4  
 Acute Tox. 2: Acute toxicity – Category 2  
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1A: Skin sensitisation – Category 1A  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· \* **Data compared to the previous version altered.**