

DoP (declaration of performance) Declaration of performance

Nr. 690.1.1

690 EUROPLAST

1. Unique identification		Each package is labelled with a unique batch number that can be traced back to the specifications drafted for this adhesive.	
2. Designation	Forbo Eurocol Ne	Forbo Eurocol Nederland 690 Europlast; dispersion-based wall tile adhesive.	
3. Application	1 9	Gluing ceramic wall tiles to solid, rigid interior walls, such as cement-bound and/or plaster-bound plasterwork and existing tiling. Suitable for interior use.	
Name and contact address manufacturer	Industrieweg 1-2 NL-1521 NA Worr Tel. +31 75 62716	Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer The Netherlands Tel. +31 75 6271600 Email: info.eurocol@forbo.com	
5. Name and contact address authorized	n/a	n/a	
6. System of assessment and verification of constancy of performance	3	3	
7. Activity of the notified certification body as required by the harmonized standard	the activities unde fulfils the initial typ NEN-EN 12004:20	The registered certifying body IKOB-BKB, identification no. 0957, performed the activities under system 3 and showed that the tile adhesive in question fulfils the initial type certification requirements described in Annex ZA of NEN-EN 12004:2007+A1:2012 and issued the certification of performance constancy and the conformity certificate.	
8. European Technical Assessment	n/a	n/a	
9. Declared performance		D1T in accordance with NEN EN 12004:2007+A1:2012; normal dispersion adhesive with basic properties that meets the requirements for sag test.	
Essential characteristics	Performance	Test method	
Initial adhesive strength	≥ 1 N/mm²	NEN-EN 1324:2008 §7.2	
Heat exposure	≥ 1 N/mm²	NEN-EN 1324:2008 §7.4	
Open time 20 minutes	≥ 0.5 N/mm²	NEN-EN 1346:2008	
Material behaviour in case of fire	Class E	NEN-EN 13501-1:2007+A1:2009	
Released dangerous substances	see MSDS		
Optional characteristics	Performance	Test method	
Increased sagging resistance	≤ 0.5 mm	NEN-EN 1308:2008	
This declaration of performance was drafted in accordance	with Annex ZA of NEN-	EN 12004:2007+A1:2012;	
10. The performance of the points 1 and 2 are consistent w performance is issued under the sole responsibility of the in	·		
		Wormerveer, 22-08-2013	
		signed: ing. T.W. Breeuwer; Manager R&D	