

Safety data sheet
according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking· **1.1 Product identifier**· Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

· Article number: 706

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.· **Application of the substance / preparation** *Sealing mortar*· **1.3 Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:***Forbo Eurocol Nederland B.V.**Industrieweg 1-2**NL-1521 NA Wormerveer Holland**Tel. +31 75 6271620**E-mail address: info.eurocol@forbo.com**Website: www.eurocol.com*· **1.4 Emergency telephone number:***In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).***SECTION 2: Hazards identification**· **2.1 Classification of the substance or mixture**· **Classification according to Regulation (EC) No 1272/2008***Skin Irrit. 2 H315 Causes skin irritation.**Eye Dam. 1 H318 Causes serious eye damage.**Skin Sens. 1 H317 May cause an allergic skin reaction.**STOT SE 3 H335 May cause respiratory irritation.*· **2.2 Label elements**· **Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the GB CLP regulation.*· **Hazard pictograms**

GHS05 GHS07

· **Signal word** *Danger*· **Hazard-determining components of labelling:***Portland cement clinker*· **Hazard statements***H315 Causes skin irritation.*

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 1)

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of cement, fillers and additives.

· **Dangerous components:**

CAS: 65997-15-1	Portland cement clinker	>1-5%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

In case of unconsciousness place patient stably in side/recovery position for transportation.

· **After skin contact:**

Immediately remove contaminated clothing, wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse mouth with water and then drink plenty of water, consult physician immediately.

· **Information for doctor:** Product reacts with moisture into alkaline mixture.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Not applicable.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** *No special measures required.*
- **Additional information** *Product itself does not burn.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust. Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically, dry vacuum powder.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure sufficient ventilation and avoid formation of dust. Do not inhale dust. Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Store in cool, dry conditions in well sealed packaging.*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** *No further data; see section 7.*

- **Ingredients with limit values that require monitoring at the workplace:**

65997-15-1 Portland cement clinker

WEL	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
-----	---

1333-86-4 Carbon black

WEL	Short-term value: 7 mg/m ³ Long-term value: 3.5 mg/m ³
-----	---

- **Additional information:** *The lists valid during manufacture were used as basis.*

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not inhale dust.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 3)

- **Respiratory protection:**
Use suitable respiratory protective device (filter P2) in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material is dependant on the penetration times, rates of diffusion and degradation.

- **Material of gloves**
The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.
- **For prolonged contact gloves made of the following materials are suitable:**
Chloroprene and butylrubber.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** *Protective work clothing*

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Powder
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value (4000 g/l) at 20 °C: >11

· Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

· Flash point: *Not applicable.*

· Flammability (solid, gas): *Not determined.*

· Decomposition temperature: *Not determined.*

· Ignition temperature: *Product is not self-igniting.*

· Explosive properties: *Product does not present an explosion hazard.*

· Explosion limits:

Lower: *Not determined.*

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 4)

Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	1.3 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Slightly soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*
- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation**
Product can cause irritation on the longer term dermatitis. This impact is caused by alkalinity of the product in water and on mechanical damage of the skin.
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure**
May cause respiratory irritation.

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 5)

- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**
*Do not discharge rinse water arising from cleaning tools into sewers or surface water.
Avoid transfer into the environment.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agents:** *Warm water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | |
|--|------------------------|
| · 14.1 UN-Number | |
| · ADR, ADN, IMDG, IATA | <i>Void</i> |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | <i>Void</i> |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | <i>Void</i> |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | <i>Void</i> |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | <i>No</i> |
| · 14.6 Special precautions for user | <i>Not applicable.</i> |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | <i>Not applicable.</i> |

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 16.08.2024

Version number 3

Revision: 16.08.2024

Trade name: **706 Euro Grout Special WT Basalt grey, Grey brown, Buxy, Anthracite**

(Contd. of page 6)

· UN "Model Regulation": *Void*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

*H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.*

- **Department issuing SDS:** *R&D department*

- **Contact:** *Ing. T.W. Breeuwer*

- **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

- *** Data compared to the previous version altered.**