


Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023



· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: Cement, portland, chemicals*

(Contd. on page 2)

GB

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

	(Contd. of page 1)
• Hazard sta	
• • • • • • • • • • • • • • • • • • • •	es serious eye damage.
	ary statements
P101	<i>If medical advice is needed, have product container or label at hand.</i>
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P280	Wear protective gloves / eye protection.
P305+P35	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
· Additional	information:
EUH 208:	Contains Cement, portland, chemicals, flue dust. May produce an allergic reaction.
· 2.3 Other h	hazards
The produc	ct contains chromate reducers, which reduces the content of water-soluble chromium (VI) to less
than	
	In the event of improper storage (ingress of moisture), the contained chromate reducers may lose
their effect	iveness prematurely and on contact with the skin the cement/binding agent can have a sensitizing
effect (H31	7 or EUH203).
· Results of .	PBT and vPvB assessment

Kesults of PBI and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7778-18-9 EINECS: 231-900-3	calcium sulphate, natural substance with a Community workplace exposure limit	2.5-10%	
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Skin Sens. 1A, H317; STOT SE 3, H335	<i>≥</i> 3-<10%	
CAS: 68475-76-3	flue dust	<i>≥</i> 0.1-<1%	
• Additional information · For the wording of the listed hazard phrases refer to section 16			

Additional information: For the wording of the listed hazard phrases

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air.

· After skin contact:

After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.

• After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting. Rinse out mouth and drink plenty of water. Consult a doctor if symptoms persist.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

• 5.2 Special hazards arising from the substance or mixture

In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO2

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product. Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose contaminated material as waste according to section 13.

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Thorough dedusting.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- *Requirements to be met by storerooms and receptacles:* No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Recommended storage temperature: 5-30°C*
- Storage class (TRGS): 11
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7778-18-9 calcium sulphate, natural

ÔES Short-term value: *10 **4 mg/m³

8hr TWA *Total Inhalable **Respirable

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

(Contd. on page 4)

GB

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

DNELs		
777 8-18-9	calcium sulphate, natural	
Oral	DNEL Long-term - oral, systemic effects	1.52 mg/kg_bw/day (general public)
	DNEL Acute - oral, systemic effects	11.4 mg/kg bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	21.17 mg/m³/d (Worker)
		5.29 mg/m³/d (general public)
	DNEL Acute – inhalation, systemic effects	5,082 mg/m³ (Worker)
		3,811 mg/m ³ (general public)

· PNECs

7778-18-9 calcium sulphate, natural

PNEC short term, sewage plant 100 mg/l (Aquatic organisms)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• **Respiratory protection:** Filter P1

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection



Tightly sealed goggles

GB (Contd. on page 5)

Printing date 23.06.2023

*

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

(Contd. of page 4)

GB

9.1 Information on basic physical and chemical p	roperties
General Information	•
Physical state	Solid
Colour:	Grey
Odour:	Specific type
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	11
Viscosity:	
Kinematic viscosity	Not applicable.
Viscosity at 100°C:	
Dynamic:	Not applicable.
Solubility	
water:	Soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of health an	d
environment, and on safety.	-
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	1
Solids content:	100.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	
Explosives	S Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

		(Contd. of page 5)
Substances and mixtures, which emit fl	ammable	
gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- *Aquatic toxicity:* No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

GB

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

(Contd. of page 6)

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	ion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Printing date 23.06.2023

Version number 10.1

Revision: 23.06.2023

Trade name: 977 Europlan Pro

	(Contd. of page 7)
· Relevant phrases	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H335 May cause respiratory irritation.	
• Department issuing SDS: Quality Management department	
· Contact:	
Laboratory	
Elisabeth Reinhardt	
Elisabeth.Reinhardt@forbo.com	
• Abbreviations and acronyms:	and the second Company the
ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro International Carriage of Dangerous Goods by Road)	pean Agreement Concerning the
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
PNEC: Predicted No-Effect Concentration (UK REACH)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Skin Sens. 1B: Skin sensitisation – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
• * Data compared to the previous version altered.	
	GB